

Tai Yin Meridians

Class 3

Review

- Primary Channels
- Divergent Channels
- Luo Connecting Channels
- Sinew Channels
- Cutaneous Regions
- Extraordinary Channels

Tai Yin Meridian


- Lung and Spleen
- Paired with Yang Ming
 - Large Intestine and Stomach
- Represents Qi production in the body
- Most exterior of the Yin organs
 - Gateway into the interior of the body
- Lung above, Spleen below

Functions of the Lung

- Governing **Qi** and controlling respiration
- Control channels and **blood vessels**
- Controlling **disseminating and descending**
- **Regulate all physiological activities**
- Regulating water passages
- Controlling the skin, cou li and the body hair
- Opening into the nose and control nasal mucus
- **House the Po (Corporeal Soul)**
- Affected by (loathes) worry, grief, sadness

Primary Channel Internal Passage


- Begins in Middle Jiao Descends
- to LI
- Up to ST
- Penetrate diaphragm Enter LU
- Ascends to throat (voice, breath)
- Emerges (start point) at LU-1 which is ZhongFu (2nd intercostal space)




Primary Channel External Passage

- Ascends one rib space to LU-2 YunMen
- Travels antero-lateral aspect of upper arm and forearm
 - Radial (lateral) to Heart and Pericardium channels

Terminates at radial corner of the nail of the thumb





Primary Channel



ay

Primary Channel




Primary Channel - Importance

- **Exterior (Biao)**
 - Wind-cold, wind-**heat**, wind-dry
- **Interior (Li)**
 - **Heat**, cold, deficiency, dryness, phlegm
- **Excess (Shi)**
 - Wind-cold, cold, heat, phlegm
- **Deficiency (Xu)**
 - Qi, dryness

Luo Connecting Channel

- Splits from Lu-7 LieQue
- One branch spread on the ear eminence
- Another branch travels to LI-4 HeGu, the Yuan source point of the pair
- Connects the Yin-Yang pair, Large Intestine

Luo Connecting Channel



Luo Channel-Importance

- **Excess**


- Local: hot burning sensation

- **Deficiency**


- Systemic: yawning, SOB, frequent urination, enuresis with asthmatic attacks

Divergent Channel (related Zang Fu)

- Travels to **GB-22** YuanYe
- Enters thoracic region
- Connects with Lung
- Disperses in Large Intestine
- Ascends to **ST-12** QuePen
- Transverses to **LI-18** FuTu
- Strengthens the Yin-Yang pair




Divergent Channel




Sinew Channel (Binding points)

- Begin at LU-11 ShaoShang
- Spread on thenar eminence, binds at LU-9 TaiYuan
- Travels antero-lateral forearm, binds at LU-5 ChiZe
- Follows brachii and lateral deltoid, binds at acromio-clavicular joint
- Spreads to bind at **GB22** YuanYe
- Spread across chest, binding at ST-1 QuePen, and LI-15 JianYu



Lung Sinew



Sinew Channel Importance

- Pathology:

- Stiffness, cramping, pain along channel
- Spasm pain in thorax and hypochondriac

- Indication:


- Bi-syndrome
- Lumps along channel and region
- Spitting of blood

Functions of the Spleen

- Govern transformation and transportation(T & T)
- Controls the ascending and raising of Qi
- **Controls Blood**
- Controls the muscles and the four limbs
- Opens into the mouth, tongue, and lips, **controlling saliva**
- Houses the Yi (Intellect)
- Affected by pensiveness

Primary Channel External Pathway



- Medial corner of big toe nail
- Medial aspect of foot
- Ascends to medial malleolus, along *posterior border of medial crest of tibia*
- Through antero-medial knee and thigh
- Ascend abdomen, lateral to mid-line, to **second intercostal space**
- Intersects Ren-3 ZhongJi, Ren-4 GuanYuan, Ren-10 XiaWan, GB-24 RiYue, LV-14 QiMen
- Down to 6 cun below axilla, at SP-21 DaBao




Primary Channel Internal Pathway

- Break off at Ren-10 XiaWan
- Enter Spleen, then Stomach
- Branch from Stomach to diaphragm
- Up oesophagus
- Enters heart channel
- Branch from SP-20 ZhouRong ascends to LU-1 ZhongFu


Primary Channel




Primary Channel



Bis!



Primary Channel



Primary Channel Importance

- **Exterior:**

- Heaviness of head, body; weakness of legs; general fever; pain; weakness and atrophy along channel; cold knees, feet, legs; oedema

- **Interior:**

- Abdominal pain; diarrhoea or loose stools with undigested food; borborygamus; belching; dizziness; abdominal mass; low appetite; sallow complexion; retention of urine

- **Excess:**


- Spasms, foot pain

- **Deficiency**


- Abdominal fullness; borborygamus; diarrhoea with undigested food

Luo Connecting Channel

- Separates at SP-4 GongSun
- Spreads locally
- A branch connects to Stomach Channel locally
- A branch ascends to inguinal regions; connects with Large Intestine, and then the Stomach
- Great Luo of Spleen:
 - Begins at SP-21
 - Disperses to all luo vessels of the body



Luo Connecting Channel



Luo Connecting Channel Importance


- **Excess:**
 - Colicky pain in Stomach and Large Intestine
- **Deficiency:**
 - GuZhang (drum-like distension); abdominal fullness, distension, ascites
- **Counterflow Qi:**
 - Vomiting; diarrhoea; abdominal pain

Great Luo Vessel Importance


- **Excess:**
 - Whole body pain; polyarthrititis; Bi-syndrome
- **Deficiency:**
 - Muscular atrophy, weakness; weak joints; whole body weakness

Divergent Channel

- Separates near SP-11 JiMen
- Penetrates abdomen at ST-30 QiChong
- Connects to Stomach, Spleen, and then Heart
- Along oesophagus
- To **ST-12** QuePen
- Across **ST-9** RenYing
- Connects to tongue



Divergent Channel




Divergent Channel Importance

- Strengthen Yin-Yang connection
- Meet with ST-30
- Used for Qi, Blood, and Shen disorders
- Used for neck issues
- Disorders of the tongue and mouth

Sinew Channel

- Begin at SP-1 YinBai
- Medial border of foot, binds at SP-5 ShangQiu
- Medial tibia to SP-9 YinLingQuan
- Medial thigh, binding at medial inguinal area
- To Ren-3, meeting other sinew channels
- One branch to genital area
- Another branch to bind at umbilicus, spreading to contralateral costal and thoracic region
- Third branch to BL-20 PiShu

Sinew Channel



Sinew Channel Importance

- **Pathology:**

- Pain of big toe, medial malleolus; cramp and pain of calf; pain of medial knee and thigh; pain in inguinal or genital area (radiates along channel to back)

- **Indications:**

- Bi-syndrome & Wei-syndrome (weakness, flaccidity and muscles atrophy esp. along channel); genital disorders; umbilical pain

Meeting points

- GB- 22 Lung divergent channel starting point & Spleen sinew channel binds to
- ST- 12 Lung divergent channel passing by
- LI-18 Lung divergent channel passing by
- ST-1 Lung sinew channel binds to
- LI-15 Lung sinew channel binds to
- REN- 3/4/10 Spleen primary channel passing by
- REN- 3 Spleen sinew meeting other sinew channels
- REN- 10 Spleen primary channel breaks off a branch
- GB- 24 Spleen primary channel passing by
- LI- 15 Spleen primary channel passing by
- ST- 30 Spleen divergent channel penetrates abdomen
- ST- 9 Spleen divergent channel passing by
- BL- 20 Spleen divergent channel passing by